

Standard FutureCom™ LANscape® Patch Panels 19"

high-grade steel

CORNING

The FutureCom™ patch panel is universally applicable for all 19-in racks and LAN-cabinets. This allows the free user-specific configuration of building and floor distributors.

The front panel is electrically leading. Integrated grounding points are available at the back. Likewise for grounding 2 latches are available for flat connectors. Particularly to emphasize is the simple and fast installation and clicking of the modules into the patch panel.

Features

- Universally applicable for all 19" racks
- Suitable for all LANscape modules (FO and Copper)
- Quick mount feature for easy one-person installation
- Conductive front panel
- Integrated cable strain relief
- Two standardised grounding lashes for flat plugs
- Integrated earthing points on the back side
- Port numbering above and below ports
- Space above ports can be used for customised labelling
- Robust metal construction, high-grade steel



Part Number: WAXWSV-02400-C001



Part Number: WAXWSV-02400-C001

Standard FutureCom™ LANscape® Patch Panels 19"

high-grade steel

CORNING

Specifications

General Specifications

Environment	Indoor
Product category	Core product / Fastship

Design - Hardware

Number Of Ports	24
Colour	high-grade steel
Height Unit	1U
Housing material	High-grade steel

Mechanical Characteristics

Cut Out	LANscape
Dimensions (L x W x H)	483 mm x 44 mm x 152 mm

Chemical Characteristics

RoHS	Free of hazardous substances according to RoHS 2002/95/EG
Environmental Compatibility	Recyclable

Ordering Information

Part Number	WAXWSV-02400-C001
Product Description	FutureCom™ 19-in Patch Panel, for up to 24 LANscape® fibre optic or FutureCom™ copper modules, with integrated cable strain relief, 1U, high-grade steel
EAN Code	4042673038535
Colour	high-grade steel
Height Unit	1U
Weight	0.725 kg

Shipping Information

Units Per Delivery	1/1
--------------------	-----

Standard FutureCom™ LANscape® Patch Panels 19"

high-grade steel

The Corning logo consists of a solid blue square with the word "CORNING" in white, uppercase, sans-serif font centered within it.

Notes



Corning Optical Communications GmbH & Co. KG · Leipziger Strasse 121 · 10117 Berlin, GERMANY
00 800 2676 4641 · FAX: +49 30 5303 2335 · www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2016 Corning Optical Communications. All rights reserved.