

EDGE™ Housing 1 rack unit, Gray, holds up to 12 EDGE modules or panels

CORNING

Part Number:
EDGE-01U-SP

EDGE™ housings are high-density, preterminated fibre optic hardware solutions. They offer industry-leading connector density and easy finger/toolless access to enable faster moves, adds, and changes (MACs). The units can be configured to accommodate 96, 144, 288, or 576 fibers.

EDGE housings can be rack- or cabinet-mounted and are ideal for data centers, local area network (LAN) and storage area network (SAN) applications, as well as enterprise networks.



EDGE™ Housing, 1 rack unit, holds up to 12 EDGE modules or panels



EDGE™ Housing, 1 rack unit, holds up to 12 EDGE modules or panels

EDGE™ Housing 1 rack unit, Gray, holds up to 12 EDGE modules or panels



Specifications

General Specifications	
Product type	Fibre Optic Hardware
Access type	Front and rear access slidable
Lockable	Yes, rear side
Mounting Type	Rack-mount, Cabinet-mount
Application	Data Centre, Data Centre LAN/SAN, Enterprise Networks

Standards	
RoHS	Free of hazardous substances according to RoHS 2011/65/EU

Design	
Number of modules	12
Cable entry type	Side brush entry
Number of Panels/Cassettes per Housing	12
Cable Entry Direction	Rear
Housing type	EDGE™
Colour	Silver
Panel or cassette type	EDGE™
Panel or module type	EDGE™
Fibre Capacity	144

Design - Adapter	
Adapter housing colour	Silver

Dimensions	
Height	44 mm

EDGE™ Housing 1 rack unit, Gray, holds up to 12 EDGE modules or panels



Dimensions	
Width	432 mm
Depth	561 mm
Weight	6.4 kg

Ordering Information	
Product Number	EDGE-01U-SP
EAN Code	4056418144528
Package contents	"EDGE™ Housing 1U; Quick Start Guide, #12-24 and #10-32 mounting screws, Cage Nut Mounting Kit, Velcro Strap, Fiber Optic Warning Label"
Shipping weight	8.2 kg
Module Capacity	12
Height Unit	1 U
Units per delivery	1/1
Trunk Capacity	12 (size 1 or 2)
Shipping Height	171 mm
Shipping Width	565 mm
Shipping Depth	646 mm



Equinsa Networking | eqnw.es | eqnw@equinsa.es

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2024 Corning Optical Communications. All rights reserved.

