

Pretium EDGE® Solutions Module

12 fibres, LC Duplex to MTP® APC Connector, Single-mode (OS2)

CORNING

The Pretium EDGE® modules provide the interface between the MTP® on the trunk and the LC duplex jumpers that will then connect directly into the electronics. The LC duplex adapters feature hinged VFL-compatible shutters that move up and out of the way when the connector is inserted. Specially designed indents in the shutters ensure that the end faces of the connectors are never touched. These shutters replace the standard dust caps that typically once removed are never replaced, exposing the interior end faces to dust particles and possible damage.

Features and Benefits

Connector modules

Allow for fibre modularity while offering both front and rear loading capability

Shuttered modules

Create one-hand operation while eliminating need to keep up with dust caps



Part Number: ECM-UM12-04-89G



Part Number: ECM-UM12-04-89G

Pretium EDGE® Solutions Module

12 fibres, LC Duplex to MTP® APC Connector, Single-mode (OS2)

CORNING

Specifications

General Specifications

Application	Data Centre LAN/SAN
Product Type	Panels & Modules
Fibre Category	Bend-Improved SM (OS2)

Design - Hardware

Fibre Count	12
Number of Adapters per Panel	6
Adapter Type Front	Shuttered LC
Adapter Color Front	Blue
Adapter Type Back	MTP®
Adapter Color Back	Black

Mechanical characteristics

Dimensions (HxWxD)	12 mm x 90 mm x 124 mm (0.463 in x 3.53 in x 4.87 in)
--------------------	---

Optical Specification - Hardware

Module Insertion Loss, Max	1.25 dB
Wavelengths	1,310 nm / 1,550 nm

Design - Connector A

Connector Type	MTP® (pinned)
Ferrule	Composite

Design - Connector B

Connector Type	LC Uniboot
Ferrule	Ceramic

Pretium EDGE® Solutions Module

12 fibres, LC Duplex to MTP® APC Connector, Single-mode (OS2)

CORNING

Cable Design

Fibre Count	12
Polarity	Universal

Chemical characteristics

RoHS	Free of hazardous substances according to RoHS 2002/95/EG
------	---

Ordering Information

Part Number	ECM-UM12-04-89G
Product Description	Pretium EDGE® Solutions Module, 12 fibres, LC Duplex to MTP® Connector, OS2
Weight	0.11 kg (0.25 lb)

Shipping Information

Units per Delivery	1/1
--------------------	-----



Corning Cable Systems GmbH & Co. KG · Leipziger Strasse 121 · 10117 Berlin, Germany

TEL: 00800-2676-4641 (00800-CORNING1) · FAX: +49-30-5303-2335 · www.corning.com/cablesystems/emea

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/emea/trademarks. Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.