

EDGE8® Housings 4 U, holds up to 72 EDGE8 modules or adapter panels

CORNING

Part Number: EDGE8-04U

EDGE8® solutions are high-density preterminated optical cabling solutions with optimized design for Base-8 fiber applications offering industry-leading connector density. With sufficient connector finger access, there is no need for additional tools enabling faster moves, adds, and changes (MACs).

Features and Benefits

Smaller footprint design with Base-8 components in housings

Greater flexibility with six open slots per tray, for easy deployment of EDGE8® modules and panels

Key identifiers

EDGE8 printed on housing for easy identification as a Base-8 component

Sliding drawer-style hardware with integrated cable routing guides and port identification

Optimised finger access to connectors combined with industry leading port density

Integrated strain-relief plate can rotate 90°

Allows for rear cable entry direction, as well as the traditional side cable entry

Removable top covers on the 1U and 2U housings

Provides easier access to modules and panels

Quick mounting system

Enables one-person installation and depth adjustment of the housing in the rack



EDGE8-04U

EDGE8® Housings 4 U, holds up to 72 EDGE8 modules or adapter panels

CORNING

Specifications

Design - Adapter

Adapter type	ST® compatible
--------------	----------------

Design

Housing type	EDGE
Number of panels per housing	72

General Specifications

Product type	Housings
Mounting Type	Rack 19"
Application	Data Centre

Dimensions

Height	177 mm
Width	432 mm
Depth	561 mm

Shipping Dimensions

Height	327 mm
Width	578 mm
Depth	667 mm

Connector Specs

Housing colour	Silver
----------------	--------

EDGE8® Housings 4 U, holds up to 72 EDGE8 modules or adapter panels

CORNING

Ordering Information

Product Number	EDGE8-04U
EAN Code	4056418139654
Shipping weight	16.5 kg
Units per delivery	1/1

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
+00 800 2675 4641 • FAX: +49 30 5303 2335 • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2021 Corning Optical Communications. All rights reserved.