

# Eco Splice Cassette Kit heat-shrink


CORNING

**Part Number:**  
**ECO-SPLKIT-HS**

Eco Splice Cassette Kit is dedicated for patch panel. A central thread in the panel allows to stack up to 2 DIN splice cassettes.

ECO-SPLKIT-CR Kit consists of 2 x DIN Splice Cassettes, 1 x cover, 2 x holder for crimp, protector tube and tie.

ECO-SPLKIT-HS Kit consists of 2 x DIN Splice Cassettes, 1 x cover, 4 x holder for heat-shrink, protector tube and tie.



# Eco Splice Cassette Kit heat-shrink

CORNING

## Specifications

### General Specifications

|               |                                  |
|---------------|----------------------------------|
| Splice option | Yes                              |
| Application   | Data Centre, Enterprise Networks |

### Standards

|      |   |
|------|---|
| RoHS | Free of hazardous substances according to RoHS 2011/65/EU |
|------|---|

### Environmental Conditions

|                                 |                 |
|---------------------------------|-----------------|
| Temperature range, installation | -5 °C to 50 °C  |
| Temperature range, operation    | -20 °C to 60 °C |

### Design

|                             |             |
|-----------------------------|-------------|
| Fibre count                 | 12          |
| Splice protectors type      | Heat shrink |
| Number of splice protectors | 0           |

### Dimensions

|        |        |
|--------|--------|
| Weight | 0.5 kg |
|--------|--------|

### Ordering Information

|                    |  |
|--------------------|--|
| Product Number     | ECO-SPLKIT-HS  |
| Weight             | 0.5 kg   |
| Package contents   | 2 x DIN Splice cassettes, 1 x cover, 4 x holder for heat-shrink, protector tube, tie |
| Units per delivery | 1/1  |

# Eco Splice Cassette Kit heat-shrink

The CORNING logo is displayed in white, uppercase letters within a solid blue square.

CorningEquinsa Networking | [eqnw@equinsa.es](mailto:eqnw@equinsa.es) | [eqnw.es](http://eqnw.es)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/emea/trademarks](http://www.corning.com/opcomm/emea/trademarks). Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2024 Corning Optical Communications. All rights reserved.